

SOLID FACE OIL STICK



PHASE	Ingredient name	INCI name	Function	%
A	Kester Wax K72	Behenyl Behenate	Structurant	15
	Kester Wax K70P	C18-38 Alkyl Hydroxystearoyl stearate	Plasticizer	10
	Kester Wax K62	Cetearyl Behenate	Secondary Structurant	5
	Kester Wax K24	Lauryl Laurate	Sensorial Modifier	10
	Neoderm TCC	Caprylic/Capric Triglycerides	Emollient	36.5
	Jojoba Oil	Simmondsia Chinensis Seed oil	Emollient	10
B	Squalane	Squalane	Active Ingredient	5
	Fermentoil Complex	Pseudozyma epicola/Olive Fruit Oil/Sunflower Seed Oil/Argania Spinosa Kernel Oil/(Angelica Gigas/Lithospermum Erythrorhizon) Root Extract Ferment Extract Filtrate/Licorice Root Extract Ferment Extract Filtrate	Active Ingredient	5
	Hyaluronic Tucuma Extra	Astrocaryum vulgare seed butter	Active Ingredient	2
	Citruë Bisabolol	Bisabolol	Active Ingredient	0.5
	Tocopheryl Acetate	Tocopheryl Acetate	Antioxidant	1

Method

- Heat PHASE A to 80 - 85 °C and mix during 10 min, stop heating
- When temperature drops down, add PHASE B to PHASE A and mix well
- Pour the product into a silicone mold or final packaging at 55 - 60 °C

